



# YUEN I



CARRIERS



KICKSTANDS



BOTTLE CAGES



ACCESSORIES



WORKSTANDS



STORAGES



INDOOR TRAINERS



METAL WORKING

# 2027

# BUILDING TOMORROW

**ESG**  
DESIGNED & BUILT  
NEXT-GEN FACTORY



## YUENI ESG REPORT 2026

2024-2025  
Inventory Report



Total CO2 Emissions = 254.9 T GHG  
(Purchased from Taipower)  
CAT 1 = 17.3% Direct GHG Emissions 44.1T  
CAT 2 = 82.7% Indirect GHG Emissions 210.8T



Total CO2 Emissions = 277.3 T  
(Purchased from Taipower)  
CAT 1 = 18.16% Direct GHG Emissions 50.2T  
CAT 2 = 80.8% Indirect GHG Emissions 224.59T

### SUSTAINABILITY GOAL & EFFORT TOWARDS 2030

**2030  
ESG-SDG  
GOAL**

**CO2 REDUCTION  
GREENER ENERGY**



**LABOUR WELFARE  
COMMUNITY SERVICE**



**GLOBAL ALLIANCES  
RISK MANAGEMENT**



2027  
2026

2027.07  
**ISO 14064**  
to request third-party verification and continue annually

2026.12  
**Solar Power Online**  
on new factory roof top to generate power to meet RE70

2026.06  
**New Factory Building**  
Operating License to obtain by County Government

2026.03  
**ISO 14064-1**  
Self-Audit Carbon Footprint Verification

2026.09  
**WRAP Audit**  
Worldwide Responsible Accredited Production to be completed

2026.06  
**Zero-Placement Fee Policy**  
officially implemented to align with International Standards for migrant workers and labour rights

2025

2025.12  
**Formulation of CFP-PCR Certification**  
for Taiwan Ministry of Environment for Kick stand category, code 25-020

2025.12  
**WRAP Signed up**  
Worldwide Responsible Accredited Production under due diligence and counselling

2025.12  
**C-TPAT Signed up**  
under due diligence and counselling

2024

2024  
**ISO 14067**  
Self-Audit Carbon Footprint Verification for Kick stand / Work Stand

2024.09/11  
**BAS Human Rights Code Of Conduct**  
signed and report produced for BAS Human Rights Risk Assessment

2024.01  
**BAS Membership Obtained**  
Bicycle Association for Sustainability

2023

2022-2024  
**ISO 14064-1**  
Self-Audit Carbon Footprint Verification completed 2023/1, 2024/1, 2025/1


2023.08  
**Social Service and Public Welfare Responsibility Agreement**  
signed with donation of a resource recycling vehicle given to local community.

2023.05  
**Labour Relations Consultant**  
stationed for consultation



**YUENI**

**FROM YOUR IDEA TO REALITY**  
OUR PROFESSIONAL TEAM AT YOUR SERVICE



**FROM MANUFACTURING TO TESTING**  
WE PROVIDE EXPERT SUPPORT TO ENSURE YOUR PRODUCTS SHELF READY

MATERIAL & FABRICATION TECHNIQUE		WELDING	
Tooling	Laser Cutting	Stamping	TIG
Die-casting	Tube Bending	Heat Treatment	Robotic
ASSEMBLY		TESTING LABS	
Assembly	Carrier Test for ISO 11243	Kickstand Testing	Universal Testing Machine: stress, tensile, deformation
Assembly	Transport Simulation Package Test for UL ASTM ISTA	Salt Spray Test for NSS CASS	Hardness Test for HRC HRB HRA

**DESIGNING & MANUFACTURING PRODUCTS THAT  
MAKE CYCLING SAFE, FUNCTIONAL & FUN.**

# CONTENTS

NEW PRODUCTS 2027	06
<b>FOR GRAVEL BIKES</b>	
CARRIERS & KICKSTANDS	09
<b>FOR E-CARGO BIKES</b>	12
MODULAR REAR CARRIERS	14
<b>FOR E-BIKES</b>	17
REAR CARRIERS	19
REAR CARRIERS: INTEGRATED TAILLIGHTS	21
<b>FOR VARIOUS BICYCLES TYPES</b>	
<b>CARRIERS</b>	
FRONT CARRIERS	24
REAR CARRIERS	27
SEATPOST-MOUNTED CARRIERS	31
CARRIER ACCESSORIES	32
<b>KICKSTANDS</b>	
CENTER-MOUNTED	35
REAR-MOUNTED	39
KICKSTAND TOP PLATES	41
BOTTLE CAGES & ADAPTERS	43
WORKSHOP, STANDS & STORAGE	46
BICYCLE HANGER & SHELVES	50
TRAINER & ACCESSORIES	53
OTHER ACCESSORIES	54

# NEW PRODUCTS FOR 2027



City / Commuter

**YFA-104A**

Compact alloy handlebar basket

**Fits 31.8mm handlebars**

Perfect for short commutes & light daily essentials

Size: 315 x 240 x 75mm | Max. load: 5 kg



City / Commuter

**YFA-113**

Alloy front carrier with big plate

Unique stingray shape prevents hitting the bike frame while steering

Max. load: 10 kg



E-bikes / Gravel

**YA-291GA**

Adjustable light weight carrier

Max. load: 20 kg



Gravel / Racing

**YA-319SF**

Lightweight and adjustable.

Built-in plastic fender.

700C wheels

Max. load: 18 kg



Various bikes under 26" / Cargo bikes

**WS-427A**

Easylift heavy-duty bike stand

Efficient lifting: Lifts rear wheel with minimal effort

Universal compatibility: Fits various bicycle types under 26"

User-friendly: Supports bicycle without removing cargo

**Foldable**  
For compact storage

Folds flat



All bikes, especially e-bikes

**WS-421A**

Steel / alloy

Adjustable arms

Fits 20" - 29" tires with 23C - 3" | Extended type is available

Single arm design provide invisible support for bikes



E-Bikes / City / Commuter / MTB

**YRA-60G**

ADC10 with plastic

Adjustable: 24" - 29"

Max weight: 18 Kg



E-Bikes / City / Commuter / MTB

**M-214**

Bottle cage holder for handlebars

Material: Aluminium

For 31.8mm



E-bikes

**M204**

Battery handle bracket

**For Bosch BT-800**

Material: Plastic



Push Bikes / Bikes with alloy rims

**WS-919C**

Bicycle hook

Wall-mounted

Hanger can be rotated



**PATENTED**

**WS-919B-03-01**

Size including display: (H) 210 x (W) 60 x (D) 45 cm



E-bikes / City / Commuter / MTB

**YRA-81G**

ADC10 with 6061 alloy

Big angle to fit various bikes with disc brakes

Adjustable: 24" - 29"

Max weight: 25 kg



Folding bike

**YRA-65M**

Rear axle mounted kickstand

Material: alloy 6061, plastic

Adjustable: 16"-20"

Max weight: 18 kg



**PATENTED**

**DIRECT MOUNT**

**40**  
MM



**For central motor type bikes**

E-bikes

**YRA-72G**

ADC10 with plastic feet

**Diameter: 40mm**

Adjustable: 24"-29"

Max. weight: 30 kg



**PATENTED**

**DIRECT MOUNT**

**40**  
MM



**Chain stay sloping available**

E-bikes / City / Commuter

**YRA-77J (JD)**

6061 alloy, anodized or ED black

**Diameter: 40mm**

Adjustable: 26"-29"

Max. weight: 50 Kg (Heavy loading)

# GRAVEL BIKES | CARRIERS & KICKSTANDS



Gravel  
**YA-368**  
 Side mounting carrier for gravel bikes  
 Material: Aluminium  
 Adjustable, fits most bikes



Gravel / road  
**YA-319SF**  
 Lightweight and adjustable. Built-in plastic fender.  
 700C wheels



**PATENTED**  
 Gravel / City / Commuter  
**YA-269Q**  
 Rear carrier with side mounting system

Max. load: 18 kg

Max. load: 27 kg



Gravel / City  
**YFA-87A**  
 Alloy handlebar carrier  
 Fits 31.8mm handlebar  
 Max. load: 5 kg



**PATENTED**

**DIRECT MOUNT**  
**18** MM



For central motor type bikes

Gravel / Heavy-duty e-bikes  
**YRA-50D**  
 Bolt-on type, alloy  
 Diameter: 18mm. Fits on chainstay / dropout  
 Adjustable: 24" - 29"  
 Max. weight: 35 kg



Gravel  
**M84C**  
 Side cage for gravel bikes  
 For fork or carrier side mounting  
 Material: Aluminium  
 Max. load: 5 kg




**M182**  
 Plastic  
 Mounted on forks or frame tubes to allow installation of various accessories




***E-CARGO BIKES | CARRIERS & KICKSTANDS***

COMPLETE PARTS SOLUTION FOR YOUR E-CARGO BIKES: **FRONT CARRIERS, REAR CARRIERS AND KICKSTANDS.**



E-Cargo bikes
<b>YA-348</b>
Long tail rear carrier, alloy tube
Extended fix plate form
2X THULE yepp child seat, side plates available
Fixing points can be customized
Max. load: 54 Kg



E-Cargo bikes
<b>YA-319SN</b>
Long tail rear carrier, alloy tube
Extended plate form for quick release (QR) . Compatible with:
<b>Racktime Snapit 2.0 system adapter and AtranVeloSystem</b>
Bolt fix with carrier



<b>KNOCKDOWN DESIGN</b>
E-Cargo bikes
<b>YA-320M</b>
Universal baby seat rail + bag <b>M194</b>
Extra large bag frame

<b>YA-320A</b>
Universal baby seat rail only, no bag <b>M194</b>

**KICKSTANDS**



E-Cargo bikes
<b>YCD-5P</b>
Steel double kickstand
Fits 3" width tire, suitable for heavy loads
Max. weight: 250 Kg

**FRONT CARRIERS**



E-Cargo bikes
<b>YFA-95</b>
Frame mounted front carrier, alloy tube with rigid design
Head tube fix design
Light bracket included
Fixing points can be customized
Size: 270mm x 340mm, Max. load: 10 Kg



E-Cargo bikes
<b>YFA-80A</b>
Frame mounted front carrier, alloy tube with rigid design
Top tube and down tube fix design
Light bracket included
Fixing points can be customized
Size: 360mm x 460mm, Max. load: 15 Kg



E-Cargo bikes
<b>M177</b>
Pushbike holder
Carrier utility system
Foldable design
Max. load: 10 kg



E-Cargo bikes
<b>M177A</b>
Surfboard holder
Carrier utility system
Foldable design
Max. load: 10 kg



<b>M194</b>
Extra large bag for <b>YA-320M</b> universal baby seat rail
600D polyester / PVC anti-slip leather, water-resistant
Size (L / W / H): 57 x 28.5 x 34 cm
Capacity: 46000 ml   Weight: 1200 grams

**PATENTED**  
Introducing our E-CARGO BIKE  
MODULAR REAR CARRIER.

Customize and add functionality to your YA-348 rear carrier with a variety of extensions quickly and conveniently.

1. Start with the **REAR CARRIER**.



**YA-348**  
Extended fix plate form with fixing points.

2. Add **EXTENSIONS AND ACCESSORIES**.

3. Mix and match depending on your needs.

Learn how easy it is to add different extensions to the base rear carrier and maximize the utility of your cargo e-bike.

Scan to watch a short video:



[www.yueni.com.tw/video](http://www.yueni.com.tw/video)

USER PROFILE

**The Shopper**



**QR system**



**ACCESSORY:**  
**QR SYSTEM**  
Compatible with:  
• Racktime Snapit 2.0  
• AtranVeloSystem

**EXTENSION:**  
**YA-319SN**  
Extended platform for quick release.

**REAR CARRIER:**  
**YA-348**



USER PROFILE

**Young Child**




**EXTENSION:**  
**YA-320A**  
Universal baby seat rail.  
Can also be adapted to carry cargo with the addition of a cargo bag.

**REAR CARRIER:**  
**YA-348**



USER PROFILE

**Cargo Handler**



**ACCESSORY:**  
**M194**  
600D polyster / PVC extra large bag for YA320A


**EXTENSION:**  
**YA-320A**  
Universal baby seat rail can also be adapted to carry cargo with the addition of a cargo bag.

**REAR CARRIER:**  
**YA-348**



USER PROFILE

**The Surfer**




**REAR CARRIER:**  
**YA-348**

**EXTENSION:**  
**M-177A**  
Surfboard hooks, with nylon straps and rubber scuff protectors.



USER PROFILE

**The Pushbiker**



**REAR CARRIER:**  
**YA-348**

**EXTENSION:**  
**M-177**  
Pushbike hooks, with nylon straps.





E-bikes / City / Commuter

**YA-251B**

Alloy tube frame and stays  
Fender can be fixed on carrier

Max. load: 18 Kg



**CUSTOMIZED CARRIER:**  
For reference / information purpose only

Full suspension e-bikes

**YA-255A**

Aluminum carrier  
Snap-it, AVS quick-release system available

**4-POINTS FIXED**

Max. load: 20 Kg



**Lightweight design**  
Made for use with panniers

E-bikes / Gravel

**YA-267A**

Carrier integrated with double-wall alloy fender

Max. load: 18 Kg



**Compatible with AVS quick-release system**

E-bikes / City / Commuter

**YA-269B**

Carrier integrated with alloy fender

Max. load: 25 kg



E-bikes / City / Commuter

**YA-269C**

Alloy tube frame and stays  
Fits Thule Yepp baby seats

Fits: 24", 26", 27", 28"

Max. load: 30 kg



**PATENTED**

E-bikes / City / Commuter / Children

**YA-269CA + YRD-7CD**

**Rear carrier: YA-269CA**  
Aluminum carrier with  
kickstand

**Kickstand: YRD-7CD**  
Steel, Auto lock  
With lock and springs

Fits 20", 24", 27"



**CUSTOMIZED CARRIER:**  
For reference / information  
purpose only

Full-suspension e-bikes

**YA-275**

Aluminum carrier

Fender can be fixed on carrier

**3-POINTS FIXED**

Max. load: 18 kg



E-bikes / City / Commuter

**YA-277**

Aluminum tube frame and stays

Fits Thule Yepp baby seats

Heavy duty, max. load: 30 kg



**Lightweight design**  
Made for use with panniers

E-bikes / Gravel

**YA-278A**

Carrier integrated with double-wall alloy fender

Max. load: 20 kg



E-bikes for Shimano Steps

**YA-246A**

Alloy tubular

With side frame with pannier

Adjustable: 26" - 29"

Max. load: 25 kg



**More info at:**  
[www.lite-move.com](http://www.lite-move.com)

E-bikes / City / Commuter



**YA-291A**

With light integrated (**Litemove TA-KS tail lights**)

**Compatible with SNAP-IT / AVS QR SYSTEM**

Recommend: Double wall fender (not included)

Max. load: 20 kg



E-bikes / City / Commuter

**YA-291C**

With light integrated (**Dosun tail lights RX-N**)

**Compatible with SNAP-IT / AVS QR SYSTEM**

Recommend: Double wall fender (not included)

Max. load: 20 kg



**Made for use with panniers**

E-bikes / Gravel

**YA-280A**

Aluminum with integrated double wall fender

Fits 24", 26", 27", 28"

Max. load: 18 kg



**Made for use with panniers**

E-bikes / Gravel

**YA-280B**

Aluminum carrier

**SNAP-IT QR SYSTEM**

Fits 24", 26", 27", 28"

Max. load: 18 kg



E-bikes for Shimano Steps

**YA-244C**

Extra strong and durable

With clip

Max. load: 25 kg



**For more info:**



**Dosun RX-1**  
product detail:



E-bikes / City / Commuter

**YA-291C-02-01**

With light integrated (**Dosun RX-1 tail lights**)

**Compatible with SNAP-IT / AVS QR SYSTEM**

Recommend: Double wall fender (not included)

Max. load: 20 kg



E-bikes / City / Commuter

**YA-291G**

Integrated type carrier design to combine with alloy fender

Max. load: 20 kg



E-bikes / City / Commuter

**YA-278D**

With light integrated (**Roxim tail lights R7EA**)

**Compatible with SNAP-IT / AVS QR SYSTEM**

Recommend: Double wall fender (not included)

Max. load: 20 kg



E-bikes / City / Commuter / MTB

**YCA-13G**

ADC10 with plastic feet

New feet design for e-bike

Adjustable: 24" - 29"

Max. weight: 30 kg



Locking teeth ensures a secure, no-slip lock.

**SECURE LOCK DESIGN**

E-bikes / City / Commuter

**YCA-13JC**

Heavy-duty

Adjustable: 24" - 29"

Max. weight: 35 kg

**PATENTED**

E-bikes / City / Commuter


**YCA-14**

High-strength forged alloy

Fitted to chainstay neck

Adjustable, fits onto 29" bikes

Max. weight: 50 kg



E-bikes / City / Commuter

**YCA-18J**

Alloy central kickstand

Fits 20", 24", 26", 27", 28", 29"

**DIRECT MOUNT**  
**40<sup>MM</sup>**

E-bikes

**YRA-72A**

Bolt-on type, alloy

**Dia: 18mm.** Fits chainstay / dropout

Fits 24", 26", 27", 28"

Max. weight: 30 kg

**DIRECT MOUNT**  
**40<sup>MM</sup>**

E-bikes / City / Commuter

**YCA-72B**

Bolt-on type, alloy

**Dia: 18mm.** Fits chainstay / dropout

Adjustable: 24"-29"

Max. weight: 35 kg

**PATENTED**  
**DIRECT MOUNT**  
**40<sup>MM</sup>****For central motor type bikes**

E-bikes

**YRA-72G**

ADC10 with plastic feet

**Diameter: 40mm**

Adjustable: 24"-29"

Max. weight: 30 kg

**PATENTED**  
**DIRECT MOUNT**  
**18<sup>MM</sup>****Chain stay sloping available**

E-bikes / City / Commuter

**YRA-76J (JD)**

6061 alloy, anodized or ED black

**Diameter: 18mm**

Adjustable: 26"-29"

Max. weight: 50 Kg (Heavy loading)

**DIRECT MOUNT**  
**18<sup>MM</sup>****For central motor type bikes**

E-bikes / City / Commuter

**YRA-50A**

Bolt-on type, alloy

**Dia: 18mm.** Fits chainstay / dropout

Fits 24", 26", 27", 28"

Max. weight: 30 kg

**PATENTED**  
**DIRECT MOUNT**  
**18<sup>MM</sup>****For central motor type bikes**

E-bikes / City / Commuter

**YRA-50D**

Bolt-on type, alloy

**Dia: 18mm.** Fits chainstay / dropout

Adjustable: 24"-29"

Max. weight: 35 kg

**PATENTED**  
**DIRECT MOUNT**  
**18<sup>MM</sup>****For central motor type bikes**

E-bikes

**YRA-50G**

ADC10 with plastic feet

**Diameter: 18mm**

Adjustable: 24"-29"

Max. weight: 30 kg

**DIRECT MOUNT**  
**40<sup>MM</sup>****Suitable for S-pedelecs**  
**For central motor type bikes**

E-bikes

**YRA-69**

Forged body, bolt-on type

**Diameter: 40mm**

Adjustable: 24" - 28", 26" - 29"

Big angle design for more stability

**PATENTED**  
**DIRECT MOUNT**  
**40<sup>MM</sup>****Chain stay sloping available**

E-bikes / City / Commuter

**YRA-77J (JD)**

6061 alloy, anodized or ED black

**Diameter: 40mm**

Adjustable: 26"-29"

Max. weight: 50 Kg (Heavy loading)

**SPECIALLY DESIGNED ANGLE**

The bracket can be retracted under the chainstays when it is kicked up and will not protrude, preventing your heels from being accidentally hit.

E-bikes / City / Commuter / MTB

**YRA-81**

ADC10 with plastic feet

Big angle to fit various bikes with disc brakes

Adjustable: 24"-29"

Max. weight: 18 kg

**SPECIALLY DESIGNED ANGLE**

The bracket can be retracted under the chainstays when it is kicked up and will not protrude, preventing your heels from being accidentally hit.

E-bikes / City / Commuter / MTB

**YRA-81BA**

ADC10 with plastic feet

Big angle to fit various bikes with disc brakes

Adjustable: 24"-29"

Max. weight: 25 kg

***FOR VARIOUS BICYCLE TYPES***



***FRONT CARRIERS***



**Touring**  
**YFA-14BA**  
 Low pannier rack  
 V-brake pivot on suspension  
 Front fork fitting, adjustable u-clamp  
 Max. load: 18 kg



**Touring**  
**YFA-36A**  
 Low rider pannier rack  
 Rigid fork fitting  
 Max. load: 18 kg



**City / Commuter sports**  
**YFA-16B**  
 Alloy tube frame and wire stays  
 Max. load: 10 kg



**City / Commuter sports**  
**YFA-17A**  
 Alloy tube frame and wire stays  
 Longer extensions for more room  
 Extensions can be placed on dropout / axle  
 Can be used for briefcases and bags  
 Max. load: 10 kg



**Cargo bikes**  
**YFA-80**  
 Alloy tube with rigid design  
 Top tube and down tube fixed design  
 Light bracket included  
 Fixing points can be customized  
 Size: 360mm x 460mm, Max. load: 15 kg



**Cargo bikes**  
**YFA-104A**  
 Compact alloy handlebar basket  
**Fits 31.8mm handlebars**  
 Size: 315 x 240 x 75mm  
 Perfect for short commutes & light daily essentials  
 Max. load: 5 kg



**Gravel / City**  
**YFA-87A**  
 Alloy  
 Fits 31.8mm handlebar  
 Handlebar carrier  
 Max. load: 5 kg



**Cargo bikes**  
**YBA-5**  
 Extension basket for carrier  
 Material: Aluminium  
**For EUROBOX**



**YFA-113**  
 Alloy front carrier with big plate  
 Unique stingray shape prevents hitting the bike frame while steering  
 Max. load: 10 kg



**YFS-21EA**  
 Steel wire frame and stays  
 Fitted on fork pivots  
 Fits: 24", 26", 27", 28"  
 Max. load: 10 Kg



**Cargo bikes**  
**YFA-79**  
 Alloy tube with rigid design  
 Head tube fix design  
 Light bracket included  
 Fixing points can be customized  
 Size: 290mm x 310mm, Max. load: 10 kg



**Cargo bikes**  
**YFA-95**  
 Frame mounted front carrier  
 Head tube fix design  
 Fixing points can be customized  
 Size: 270mm x 340mm  
 Max. load: 10 kg



**YFA-54B**  
 Alloy front basket carrier  
 With wood plate and support extensions  
 Max. load: 10 kg



**YFK-23A**  
 Alloy basket for minivelo/city bike



**YFK-26**  
 Alloy basket with wood plate for minivelo/city bike





**REAR CARRIERS**



City / Commuter  
**YA-7B**  
 Alloy diecast (ADC10) frame and steel wire stays  
 With clip, foldable  
 Adjustable brackets  
 Fits: 24", 26", 27", 28"  
 Max. load: 18 kg



City / Commuter  
**YA-16E**  
 Adjustable brackets  
 Fits: 24", 26", 27", 28"



City / Commuter / Touring  
**YA-17JAC**  
 Alloy wire frame and stays  
 Adjustable brackets  
 Adjustable: 24" - 28"



City / Commuter / Children  
**YA-32LDA**  
 Alloy tube frame and stays  
 With clip  
 Fits: 24", 26", 27", 28"



City / Commuter / Touring  
**YA-66D**  
 Alloy wire frame and stays  
 With clip  
 Adjustable brackets  
 Adjustable: 24" - 28"



City / Commuter  
**YA-73SEJA**  
 Square tube frame and stays  
 With clip, foldable  
 Adjustable: 24" - 28"



City / Commuter / Touring  
**YA-91J**  
 Alloy tube frame and stays  
 With clip  
 Adjustable stays and brackets  
 Adjustable: 24" - 28"  
 Max. load: 25 kg



City / Commuter  
**YA-157A**  
 Alloy tube frame and stays  
 Adjustable stays and brackets  
 Adjustable: 24" - 28"  
 Max. load: 18 kg



For bikes with disc brakes

City / Commuter

**YA-157CAJ**

Alloy tube frame and stays

Adjustable brackets

Fits: 26", 27", 28"

Max. load: 18 kg



Touring

**YA-161JD**

Alloy tube frame and stays  
With reflector bracket

Adjustable stays and brackets

Adjustable: 24" - 28"

Max. load: 25 kg



City / Commuter

**YA-162A**

Alloy tube frame and stays  
With clip and reflector bracket

Fits: 20 - 22", 24" - 28"

Max. load: 18 kg



Touring

**YA-169B**

Alloy tube frame and stays

Adjustable brackets

Adjustable: 24" - 28"

Max. load: 25 kg



City / Commuter / Classic road

**YA-247A**

Lightweight alloy

Longer extension gives more room

Extension can be placed on dropout / axle

Max. load: 18 kg



City / Commuter / Touring

**YA-248B**

Adjustable brackets

Max. load: 25 kg



**YA-269**

Carrier with integrated fender

Fits: 24", 26", 27", 28"

Max. load: 25 kg



PATENTED

**YA-269Q**

Carrier with side mounting system

Max. load: 27 kg



City / Commuter

**YA-193SA**

Square tube frame and stays  
With clip

Fits: 24", 26", 27", 28"

Max. load: 18 kg



City / Commuter

**YA-212**

Alloy wire frame and stays

Adjustable brackets

Fits: 24", 26", 27", 28"

Max. load: 18 kg



YA21809A adapter plate add-on for installation of QR bag, basket, etc.

City / Commuter

**YA-218B**

Alloy tube frame and stays  
Foldable

Adjustable stays and brackets

Adjustable: 26" - 29"

Max. load: 18 kg



City / Commuter

**YA-240**

Lightweight alloy tubular  
With bandage hook design

Adjustable brackets

Max. load: 18 kg



Cargo bikes

**YA-312**

Long tail alloy rear carrier  
Extended fixed platform

Fixing points can be customized

2X THULE yepp child seat, side plates available



**YA-320C**

Universal baby seat rail  
Knockdown design

Extra large bag frame



Gravel

**YA-368**

Side mounting carrier for gravel bikes  
Material: Aluminium

Adjustable, fits most bikes



**YA-291G**

Alloy

Fender integrated light weight carrier

No fender included

Max. load: 20 kg



E-bikes / Gravel

**YA-291GA**

Adjustable light weight carrier

Max. load: 20 kg



Gravel / Road

**YA-319SF**

Lightweight and adjustable. Built-in plastic fender.

700C wheels

Max. load: 18 kg



City / Commuter

**YS-11TDA**

Stainless wire frame and stays

Foldable

Fits: 24", 26", 27"

Adjustable: 24" - 28"

Max. load: 18 kg



**YS-23**

Stainless wire frame and stays

Foldable

Fits: 24", 26", 27", 28"

Adjustable: 24" - 28"

Max. load: 18 kg



For bikes with cantilever brakes

City / Commuter

**YS-41AEC**

Stainless wire frame and stays

Fits: 24", 26", 27", 28"

Adjustable: 24" - 28"

Max. load: 18 kg



**YA-111Q**

Aluminium quick-release

Seatpost diameter range: 25.4mm - 35mm

Max. load: 10 Kg



**YA-149QB**

Aluminium quick-release

Seatpost diameter range: 25.4mm - 33mm

Max. load: 10 Kg



YA-21809A adapter plate add-on for installation of QR bag, basket, etc.

City / Commuter

**YA-225**

Aluminium

With extrusion quick-release buckle system

Seatpost diameter range: 25.4mm - 33mm

Max. load: 10 Kg

# CARRIER ACCESSORIES



**M84A**  
Alloy gravel cage  
For fork or carrier side mounting  
Max. load: 5 kg



**M-41A**  
Extension bracket  
Fitted on front / rear carrier stays (7.8mm-14mm)  
Default extension bracket tube size is 22mm



**M182**  
Plastic  
Mounted on forks or frame tubes to allow installation of various accessories



**YC-1**  
Detachable bike clip clamp  
Standard size for plastic joints: 8mm

01 CARRIER ACCESSORIES | FITTING SETS

 <b>F1</b> Horizontal type	 <b>F2</b> Descending type	 <b>F4</b> Horizontal type	 <b>F4C</b>	 <b>F6</b>	 <b>F9G</b>	 <b>F12</b>
 <b>F12BB</b>	 <b>F15B</b>	 <b>F17</b>	 <b>F17A</b>	 <b>F17B</b>	 <b>F17C</b>	 <b>F22</b>



**YI-3**  
Three-strip strap  
Steel wire hook with PVC coating



**YI-4**  
Elastic strap with leather



**YI-7A**  
Elastic two-strip strap with leather



# KICKSTANDS | CENTER-MOUNTED

## 3 TYPES OF KICKSTAND ADJUSTMENTS

Every process is made in-house using our own facilities and personnel so we can control the quality and schedule. You do not have to go to other factories to finish your product. This greatly enhances production efficiency.

### 1. CLIP-TYPE ADJUSTMENT SYSTEM

Fast and convenient adjustment with just a clip-type interface. No tools needed.



Look for this logo for kickstands with the clip adjustment.

### 2. PIN-TYPE ADJUSTMENT SYSTEM

A simple pin system allows you to quickly adjust your kickstand. A proven problem-free mechanism.

### 3. FIXED SYSTEM

No adjustment possible. The fixed system is the simplest and most robust form of kickstand able to withstand rough use.

Heavy-duty construction ensures years of trouble-free and reliable service.




E-bikes/ City / Commuter / Touring  
**YCD-37A**  
 Electric control secureease kickstand steel  
 Max. load: 150 kg



E-bikes/ City / Commuter / Touring  
**YCD-3**  
 Steel mounting seat, steel tube stays



E-bikes/ City / Commuter / Touring  
**YCD-3A**  
 Steel mounting seat, steel tube stays  
 With big pads



City / Commuter  
**YCD-20**  
 Fully diecasted alloy head and stays



Cargo bike / Heavy duty  
**YCD-5P**  
 Steel double kickstand  
 its 3"width tire, suitable for heavy loads  
 Max. weight: 250 kg



City / Commuter  
**YCA-1**  
 Light alloy  
 Fitted to chainstay neck  
 Fits 20", 22", 24", 26", 27", 28"



City / Commuter  
**YCA-1A**  
 Light alloy  
 Fitted to chainstay neck  
 Fits 20", 22", 24", 26", 27", 28"



City / Commuter / Touring  
**YCA-6A**  
 Light alloy  
 Fitted to chainstay neck  
 Fits 20", 22", 24", 26", 27", 28"



City / Commuter / Children  
**YCA-7**  
 High-strength alloy  
 Fitted to chainstay neck  
 Fits 20", 22", 24", 26", 27", 28"



City / Commuter / Children  
**YCA-5**  
 Light alloy  
 Fitted to chainstay neck  
 Adjustable: 24" - 28"



City / Commuter / Children  
**YCA-5I**  
 Light alloy  
 Fitted to chainstay neck  
 Adjustable: 16" - 24"



City / Commuter / Children  
**YCA-5A**  
 Light alloy  
 Fitted to chainstay neck  
 Adjustable: 24" - 28"  
 With big foot



City / Commuter  
**YCA-5M**  
 Light alloy  
 Fitted to chainstay neck  
 Fits 22", 24", 26", 27", 28"



City / Commuter / Children  
**YCA-8**  
 Light alloy  
 Fitted to chainstay neck  
 Fits 20", 22", 24", 26", 27", 28"



**PATENTED**  
 City / Commuter / Touring  
**YCA-9**  
 Alloy  
 Adjustable: 20"-24", 24"-28", 26"-29"



E-Bikes / City / Commuter / MTB  
**YCA-13G**  
 ADC10 with plastic feet  
 New feet design for e-bike  
 Adjustable: 24" - 29"  
 Max. weight: 30 kg



City / Commuter  
**YCA-13JC**  
 Heavy-duty  
 Fitted to chainstay neck  
 Adjustable: 24" - 29"



**PATENTED**  
 City / Commuter / Fat bikes  
**YCA-15**  
 Alloy  
 Fitted to chainstay neck  
 Adjustable: 24" - 28", 26" - 29"



**PATENTED**  
 City / Commuter / Fat Bikes / Children  
**YCA-15I**  
 ADC10 with plastic feet  
 Big angle to fit various bikes with disc brakes  
 Adjustable: 16" - 20", 20" - 24"



City / Commuter  
**YCA-16**  
 Plastic head with alloy stays  
 Fitted to chainstay neck



# KICKSTANDS | REAR-MOUNTED



Children / BMX / Folding  
**YRA-3**  
Light alloy  
Fitted to chainstay neck  
Adjustable: 24" - 28"



**SPECIALLY DESIGNED ANGLE**  
The bracket can be retracted under the chainstays when it is kicked up and will not protrude, preventing your heels from being accidentally hit.  
E-bikes / City / Commuter / MTB  
**YRA-81**  
ADC10 with plastic feet  
Big angle, fit bikes with disc brakes  
Adjustable: 24" - 29"  
Max. weight: 18 kg



**SPECIALLY DESIGNED ANGLE**  
The bracket can be retracted under the chainstays when it is kicked up and will not protrude, preventing your heels from being accidentally hit.  
E-bikes / City / Commuter / MTB  
**YRA-81BA**  
ADC10 with plastic feet  
Big angle, fit bikes with disc brakes  
Adjustable: 24" - 29"  
Max. weight: 25 kg



E-bikes / City / Commuter / MTB  
**YRA-81G**  
ADC10 with 6061 alloy  
Big angle, fit bikes with disc brakes  
Adjustable: 24" - 29"  
Max weight: 25 kg



City / Commuter / MTB  
**YRA-9A**  
Alloy  
For square stays  
Adjustable: 24" - 28"



**For central motor type bikes**  
City / Commuter / MTB  
**YRA-18**  
Alloy  
Adjustable: 24" - 28"



**YRA-36AK**



**YRA-36AKN**



Rubber pads

**PATENTED**

City / Commuter / MTB  
**YRA-36AK | YRA-36AKN**  
Alloy with rubber pad  
or round and square tubes  
Adjustable: 26" - 28"

Adjustable bracket fits various angles between seat and chain stays  
Brake arm clip fits ø16, ø20, ø22 tubes



**YRA-36AH**



**YRA-36AHN**



**PATENTED**

**For bikes with disc brakes**

City / Commuter / MTB  
**YRA-36AH | YRA-36AHN**  
Alloy with rubber pad  
For round tubes  
Adjustable: 26" - 28"

Extra long bracket for disc brake bikes



**Children**  
**YRA-54L**  
Alloy  
Adjustable: 14" - 18"  
For small-wheeled bikes



**City / Commuter**  
**YRA-60**  
Fitted to chainstay with screws  
Adjustable: 24" - 28", 26" - 29"



2 sets plastic parts for oval tube: Fits 27mm x 15mm - 21mm ; Square tube: Fits 25mm x 15mm - 21mm



**City / Commuter**  
**YRA-60B**  
Fitted to chainstay with screws  
Quick adjusting mechanism



**E-bikes / City / Commuter / MTB**  
**YRA-60G**  
Rear axle mounted kickstand  
Adjustable: 24" - 29"  
ADC10 with plastic  
Max weight: 18 kg



**BMX / Folding / Children**  
**YRS-10**  
Steel  
Fitted on hub spindle  
Fits 16", 18", 20"



**City / Commuter / MTB / Road**  
**YRS-17J**  
Steel  
Fitted on chainstay  
Adjustable: 24" - 28"



**City / Commuter / MTB**  
**YRS-18**  
Steel tube  
Adjustable: 24", 26", 27", 28"



**City / Commuter / MTB**  
**YRS-23**  
Steel  
Fitted to seat stay and chainstay  
Adjustable: 24", 26", 27", 28"



**Road**  
**YRA-65E**  
Full extrusion  
Adjustable fitting arm for seat stay  
Fits on seat and chain stay with adjustable bracket  
Adjustable: 26" - 28"



**For bikes with disc brakes**  
24" / 26" / 700C  
**YRA-65H**  
Light alloy  
Adjustable fitting arm for seat stay  
Fits on seat and chain stay with adjustable bracket  
Adjustable: 24" - 28"



**E-bikes / City / Commuter / MTB**  
**YRA-65M**  
Rear axle mounted kickstand  
Material: alloy 6061, plastic  
Adjustable: 16" - 20"  
Max weight: 18 kg



**City / Commuter / Children**  
**YRD-7CA**  
Steel, auto-lock  
With lock and springs  
Fits 24", 26", 27", 28"

**KICKSTANDS | TOP PLATES**



**Y10B**  
Alloy



**Y17**  
Alloy



**Y4**  
Alloy



**Y3**  
Steel



**Y1**  
Steel



**YCH-1A**  
Alloy



**YCH-1**  
Steel



**BOTTLE CAGES & ADAPTERS**

				
<p><b>YAB-1</b> Light alloy</p>	<p><b>YAB-1A</b> Alloy</p>	<p><b>YAB-3</b> Alloy</p>	<p><b>YAB-16</b> Alloy</p>	<p><b>YAB-17</b> Alloy</p>
	<p><b>PATENTED</b></p> 	<p><b>PATENTED</b></p> 	<p><b>PATENTED</b></p> 	<p><b>PATENTED</b></p> 
<p><b>YAB-24C</b> Light alloy Fits PET, water bottles and others</p>	<p><b>YAB-25</b> Alloy With laser-etched pattern Weight: 38 grams</p>	<p><b>YAB-28</b> Alloy Adjustable 3-position bottle shifting: right, central, left side bottle removal Plastic pads to fit various bottle sizes</p>	<p><b>YAB-28A</b> Alloy Adjustable 3-position bottle shifting: right, central, left side bottle removal</p>	<p><b>YAB-29</b> Alloy plate With laser-etched pattern Weight: 32 grams</p>



**YAB-31**  
Alloy



**YAB-33**  
Alloy with composite adjustment system  
Fits diameter: 54mm - 74mm bottles  
4-point front fixing for secure bottle retention and easy removal



Adjustable height, secure and quick neck fixing of PET bottles

**YAB-12A**  
Alloy  
Fits standard beverage cans and PET bottles  
Allows bottles to be taken out easily



**PATENTED**

**YAB-34**  
Composite

Weight: 37 grams



**YSB-1**  
Light steel



**PATENTED**

**M-38**

Multi-function turning adapter  
For 22mm - 36mm tubes

Fits on handlebars and bike frames and seat post, turns to 24 angles



**PATENTED**

**M-25**

Fixes on the bicycle frame's bottle cage holes  
Allows re-position of bottle cage holes  
Adjustment: 45mm up / 45mm down  
Weight: 29 grams



E-Bikes / City / Commuter / MTB

**M-214**

Bottle cage holder for handlebars  
Material: Aluminium  
For 31.8mm



**WORKSHOP, STANDS & STORAGE**



**WS-101A**

Bike carrier adapter with telescopic extension up to 65mm  
For Y-frame



**WS-403**

Mounted on seat and chain stays  
Powder-coated  
Color: Black, white



**WS-403B**


Easy to adjust angle via hooks to fit various bikes



**PATENTED**

**WS-403C**

Maintenance stand with foldable base



**WS-415D**

Parking stand  
Can be extended by connecting several units together



**PATENTED**

**WS-416JC**

Enhanced "L" shaped steel  
Spring mechanism auto-slide and lock  
For 20" to 29" bikes



Can be folded flat to save space



**PATENTED**

**WS-416JQ**

Knockdown design  
Spring mechanism auto-slide and lock  
Small package, suited for online selling  
Enhanced "L" shaped steel  
For 20" to 29" bikes



**PATENTED**

**WS-420**

Foldable parking stand  
Roller with spring tension allows a smoother and easier folding and unfolding  
For 20" - 29" bicycles, 23mm - 3" tires



**WS-405**

Color: Black



**PATENTED**


**WS-406D**

Suitable for bicycles with wheel size under 29", patented design that allows easy fitting of skewer quick release levers, extra clamp length for easier derailleur adjustment

**PATENTED DESIGN FOR SELECTED LEVER MODELS**



**TYPE A**  
For standard levers



**TYPE B**  
For Mavic and classic levers



**TYPE C**  
For Campagnolo, FSA and Fulcrum levers

Specially designed to fit an even more extensive line of skewer quick-release lever types and thru-axles




**WS-406C**

Open design allows cleaning and maintenance of the cassette when installed



**WS-412**

Outstanding stability when installed suitable for high-traffic areas



**Folds flat**  
For compact storage  
**Single arm design**  
provide invisible support for bikes

**PATENTED**

**WS-421**

Steel / alloy  
For all bike, especially e-bikes  
Adjustable arms  
Fits 20" - 29" tires with 23C - 3"  
Extended type is available



Various bikes under 26" / Cargo bikes

**WS-427**

Easy lift heavy-duty bike stand  
Efficient lifting: Lifts rear wheel with minimal effort  
**Knockdown design:** Easily disassembled for transport and storage  
Universal compatibility: Fits under 26"  
User-friendly: Supports bicycle without removing cargo



Various bikes under 26" / Cargo bikes

**WS-427A**

Easy lift heavy-duty bike stand  
Efficient lifting: Lifts rear wheel with minimal effort  
Universal compatibility: Fits under 26"  
User-friendly: Supports bicycle without removing cargo



**WS-501A**

Wheel truing stand for all wheel sizes  
Foldable, compact, portable and lightweight  
With tire fixation



**PATENTED**

**WS-502**

Alloy wheel truing stand. Foldable and portable  
Fits all wheel sizes and width  
Up to 29" wheels and fat tires  
Adjustable caliper trues disc rotors and rims



**WS-911A**


Foldable single bicycle hook  
Wall-mounted



Push bikes / Bikes with alloy rims

**WS-919C**

Bicycle hook  
Wall-mounted  
Hanger can be rotated



**PATENTED**

**WS-610A**

Multi-park module  
Unlimited number of attachments  
Excellent stability



**PATENTED**

**WS-612**

Speedy parking stand with knockdown design  
Heavy duty, 25 kgs max. load  
Fits up to 29" or 12" - 20" bikes  
Hanger for helmets or clothes



**PATENTED**

**WS-918A**

Foldable bicycle wall hanger  
Roller with spring tension allows a smoother, easier  
and more stable bike wall mounting and retrieval  
For 20" - 29" bicycles, 23mm - 3" tires



**M80A**

Front fork holder  
5mm, 12mm and 15mm thru-axle




**M81A**

Secures the stem and handlebar to a fixed position  
For bicycle parking and display purposes



**YSS-4**

Safety handle for children's bikes



**PATENTED**

**WS-610W**




**PATENTED**

**WS-610WA**

Wall-mounted, compact design perfect for indoor and  
outdoor spaces

**BICYCLE HANGER & SHELVES**



PATENTED

**WS-919BB-03-01**

Size including display: (H) 210 x (W) 120 x (D) 45 cm



PATENTED

**WS-919B-03-01**

Size including display: (H) 210 x (W) 60 x (D) 45 cm



**EASYFIT DESIGN**

Easily remove or install hook without needing to disassemble or uninstall any part of the display.



PATENTED

NO DRILLING REQUIRED

Push bikes / Bikes with alloy rims

**WS-919-05-01**

Sidekick. Rim type bike hanger for shelf stand  
 Keep your rack intact, just add on  
 No need to remove shelf when installing  
 Patented design hanger allows hanging via front wheel on shelf  
 Height and angle adjustable  
 Fits 1" tubes  
 Max. load: 15 Kg



**WS-919-03-01**

Wave-shaped shelf bike hanger  
 Hangs bike via the front wheel  
 Best for push bikes and bikes with alloy rims



**WS-919-01-01**

Thru axle bike hanger  
 Patented design hangs bike via the front thru axle, which is the optimal solution for carbon fiber bikes and wheels





**PATENTED**

**WS-607**


Height: 1.9 meters - 3.5 meters  
 Easy installation in a few minutes  
 Adjustable hanger  
 Load weight limit: 72 Kg or around 4 bicycles



**PATENTED**

**WS-607GA**

Similar to the WS-607, except this is the self-standing type  
 Heavy-duty base for exceptional stability



**WS-607WB**

Wall-mounted  
 Load weight limit: 18 kg

**INDOOR TRAINERS & ACCESSORIES**



**Single quick-release lever**  
 Allows the trainer to be set and released very quickly.



**812B CORSO**

Wire control system  
 Loading weight limit: 100 kg



**Compact and foldable**  
 Folded Size: 430mm x 600mm x 150mm  
 The trainer can be stored vertically for a smaller footprint



**The axle bearing is set up in front of the back wheel**  
 This is very close to the position of the crank, which means it prevents accidental touching during use.

**Magnetic controlling box design**  
 Covers the entire magnetic system to prevent objects from entering the system.

			
<b>YDP-1</b>	<b>YDP-2</b>	<b>YDP-3</b>	<b>YDP-4</b>
			
<b>YDP-5C</b>	<b>YDP-6</b>	<b>YDP-7</b>	<b>YDP-8</b>
			
<b>YDP-8D</b>	<b>YDP-9</b>	<b>YDP-10A</b>	<b>YDP-17C</b>
			
<b>YDP-22</b>	<b>YDP-23</b>	<b>YAP-14</b>	<b>YAP-16</b>

					
<b>A1</b>	<b>A2</b> Ø 15 steel	<b>A3</b> Ø 22	<b>A4</b> Ø 16	<b>A5</b> Ø 25.4	<b>A6</b> Ø 20

		
<b>A10</b> Plastic Extension clip for tube 10mm	<b>A10A</b> Plastic Extension clip for tube 14mm	

**ACCESSORIES | BASKET BRACKETS & SUPPORTS**

		<b>E-bikes</b>
		<b>M204</b> Battery handle bracket For Bosch BT-800 Material: Plastic

**ACCESSORIES | BASKET BRACKETS & SUPPORTS**

				
<b>YB-1</b> Brackets for front basket Steel, stainless or alloy	<b>YB-3</b> Brackets for front basket Steel, stainless or alloy	<b>YB-4</b> Brackets for front basket Steel, stainless or alloy	<b>YB-4J</b> Brackets for front basket Steel, stainless or alloy Adjustable	<b>YFK-0102</b> Basket supporters Steel, stainless or alloy Size: 20", 24", 26", 28"



**YUEN I**

**YUEN I INDUSTRIAL CO., LTD.**  
元 毅 工 業 股 份 有 限 公 司

HEAD OFFICE

No. 16, Fu Kung Road, Fu Hsing Hsiang,  
Changhua, Taiwan, R.O.C. 50662  
彰化縣福興鄉福工路16號

TEL

+886 4 769 7615-7 / +886 4 769 2685 / +886 4 769 9033

FAX

+886 4 769 4315 / +886 4 769 8571

E-MAIL

[service@yueni.com.tw](mailto:service@yueni.com.tw)



[WWW.YUENI.COM.TW](http://WWW.YUENI.COM.TW)